

The following Listing of Claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for routing a call based on voice activated dialing (VAD), comprising:
 - receiving a call initiated by a voice activated dialing (VAD) instruction in a user device;
 - failing to find a call destination number corresponding to the VAD instruction in a first directory in the user device;
 - translating at least a part of the VAD instruction into data in response to failing to find the call destination number corresponding to the VAD instruction in the first directory in the user device;
 - using the data to obtain the call destination number from a second directory; and
 - routing the call to the call destination number.
2. (Original) The method of Claim 1, wherein using the data to obtain the call destination number from the second directory comprises:
 - obtaining additional information from the call;
 - translating the additional information into additional data; and
 - using the data and the additional data to obtain the call destination number from the second directory.
3. (Original) The method of Claim 1, further comprising:
 - adding the call destination number to the first directory.
4. (Original) The method of Claim 1, wherein the call is received in a voice communications network;
 - wherein the second directory is part of a data network;

wherein using the data to obtain the call destination comprises communicating with the second directory in the data network; and

wherein the call is routed in the voice communications network to the destination number.

5-9. (Canceled)

10. (Currently Amended) A method for voice activated dialing (VAD) of a call, comprising:

receiving, in a VAD call that is initiated by a VAD initiated instruction in a user device, a VAD instruction with call destination information;

failing to find a call destination number corresponding to the call destination information in a first directory in the user device;

translating the call destination information into data in response to failing to find the call destination number corresponding to the call destination information in the first directory in the user device; and

using the data to obtain ~~[[a]]~~the call destination number.

11. (Original) The method of Claim 10, further comprising:
routing the call to the call destination number.

12. (Original) The method of Claim 10, further comprising:
initiating a call to the call destination number.

13. (Original) The method of Claim 10, further comprising:
determining a call path between origination of the VAD instruction and the call destination number.

14. (Original) The method of Claim 13, further comprising:
causing a call to be routed along the call path.

15. (Original) The method of Claim 10, wherein the VAD instruction is received in a voice communications network;

wherein the data is used to obtain the call destination number from an element in a data network; and

further comprising:

routing a call in the voice communications network to the destination number.

16. (Canceled)

17. (Currently Amended) The method of Claim 10[[16]], wherein the directory comprises a first directory; and

wherein using the data to obtain the call destination number comprises using the data to obtain the call destination number from a second directory.

18. (Original) The method of Claim 10, wherein using the data to obtain the call destination number comprises obtaining additional information, and using the additional information to obtain the call destination number

19. (Currently Amended) The method of Claim 10[[16]], further comprising:
adding the call destination number to the first directory.

20. (Previously Presented) A system for voice activated dialing (VAD),
comprising:

a VAD device module located in a customer premises and operative to respond to a VAD instruction, in a VAD initiated call, by causing the call to be routed to a gateway communicatively connected to a VAD network module; and

the VAD network module being operative to use at least part of the VAD instruction to obtain a call destination number from a directory, and to cause the call to be routed to the call destination number.

21. (Original) The system of Claim 20, wherein the VAD device module causes the call to be routed to the gateway based on a failure by a VAD directory to provide the call destination number corresponding to the VAD instruction.

22. (Original) The system of Claim 20, wherein the gateway comprises a voice/data gateway.

23. (Original) The system of Claim 20, wherein the VAD network module is operative through the gateway to obtain additional information and to use the additional information to obtain the call destination number from the directory.

24. (Original) The system of Claim 20, wherein the VAD network module is operative to update the VAD device module with the call destination number.

25. (Currently Amended) A method for updating a first voice-activated dialing directory for a caller, comprising:

receiving, into a caller device, a request from the caller to determine a directory number based on a voice activated dialing instruction, wherein the caller has not initiated a call to the directory number corresponding to the request;

translating at least part of the voice activated dialing instruction in a first directory into data;

retrieving, from the caller, geographical information corresponding to the voice activated dialing instruction;

querying a second directory, using the data and the geographical information, for the directory number;

retrieving the directory number from the second directory; and

updating the first directory with the directory number retrieved from the second directory, wherein the first directory is resident on the caller device and wherein no call occurs between the caller and the directory number.

26. (Previously Presented) The method of Claim 25, wherein the second directory is part of a data network.